

Test Certificate n°

2016CN0128

AITEX declares that the articles:

-“FABRIC AT-240”.

**Composition: 56% Modacrylic, 38% Cotton,
4% Meta-Aramid, 2% Antistatic - Twill 2/1
Weight: 240 gsm / Color: Navy
Code: MOD60/C38/AS2-240
Part Number: DP Sample / Roll Number: 1**

Given by the company:

SHANGHAI XM GROUP LTD

**Room 2403, 88 Guangxin Road
CN-200063 Shanghai
CHINA**

EN ISO 11612:2015 Protective clothing. Clothing to protect against heat and flame.

6.2 Heat resistance (180)°C – Pass - (x 5 cycles washing, 6N, Dry F).

6.3.2 Limited flame spread. Method A – A1 – (original and after 5 cycles washing, 6N, Dry F).

6.3.3 Limited flame spread. Method B – A2 – (original and after 5 cycles washing, 6N, Dry F).

6.4 Dimensional change due to cleaning – Pass - (x 5 cycles washing, 6N, Dry F).

6.5.1 Tensile strength – Pass - (x 5 cycles washing, 6N, Dry F).

6.5.2 Tear Resistance – Pass - (x 5 cycles washing, 6N, Dry F).

7.2 Convective heat – B1 - (x 5 cycles washing, 6N, Dry F).

7.3 Radiant heat – C1 - (x 5 cycles washing, 6N, Dry F).

7.5 Molten iron splash – E2 - (x 5 cycles washing, 6N, Dry F).

7.6 Contact heat – F1 - (x 5 cycles washing, 6N, Dry F).

2016CN0128

Issued by AITEX on 29/06/2016

This document is of application for the tested sample, according to the tests that have been done in the previously mentioned dates in the reports above shown. This does not implies any monitoring or control activity on this product done by AITEX

Signed by: Raquel Muñoz González
Manager Innovation Area